



NOTE: ALL ACC. ARE
OPTIONAL EQUIPMENT

TABLE "A"

- 1, 2 & 3 - OPEN INPUTS
- 4 - AUXILIARY OPEN INPUT
- 5 - REVERSING/SAFETY INPUT

- 6 - CLOSE GATE INPUT (CLOSE LOOP)
- 7 - BACK AWAY - FREE EXIT LOOP
- 8 - SHADOW LOOP
- 9, 10, 11, & 12 - COMMON (0vdc)



120V AC/15A
SERVICE USE ONLY!

TRANSFORMER

SAFETY ALARM
HORN

123456
CYCLE
COUNTER

GEAR
MOTOR

TO
BATTERIES

TIMER

AMP
METER

SEE
DETAIL
A

CONTROL
BOARD

24 VDC
POWER

LIGHT

L. H.
OPERATION

RECEIVER

POWER
RELAY 1
RELAY 2

INDICATOR

N.O.
TYP. KEY PAD INPUT
COMM.

RIGHTHAND OPERATION SHOWN

NOTICE

THE INFORMATION CONTAINED
ON THIS DOCUMENT IS
CONFIDENTIAL. ANY
DISSEMINATION, UNAPPROVED
DISCLOSURE OR COPYING OF
THIS INFORMATION IS
STRICTLY PROHIBITED

Date: 09/02/05

Drn. By: MKS

Ckd. By: DMR

Dwg.: 113

Title: 24V DC Control Board Wiring Diagram



Rev.:	Description:	Date:	Drn. By:	Ckd. By:
A	REVISED TO MATCH CURRENT ASSEMBLY	06/02/14	EGS	MKS

DO NOT SCALE

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
ANGLES ± 1°
X/X ± 1/32, XX ± 01, XXX ± 005